Ω̈ v	ɿ N	Ω̈ Ö	D Ĥ
	ɫ		
	ɫ		
			ɫ
			ɫ 2 Z

Ω̈ v	ɿ N	⊥ ⁝ ˣ ⊥	ω̣ ṇ Ö	Ɛ ʒ Ö	ω̣ ᶻ Ö	D Ĥ
					±	
						Ƒ

BRCS013N10SHTL

/ Electrical Characteristic Curve



Fig7. Transfer Characteristics

Fig8. Normalized Threshold Voltage



Fig9. Normalized On Resistance

Fig10. Diode Forward Current



/ Package Dimensions



/ Marking Instructions



( ) / Temperature Profile for IR Reflow Soldering(Pb-Free)

ب ˝ χ

Ĺ ♬ □ ỷ Ḱ ɬ ı ̀H ڑ Ḱ ɬ

Š Ö □ ỷ ° ɬ ı ̀H ڑ ̀Y ʌ ⱡ ° ° ɬ °

ì ̇ ɣ ̨ ɔ ھ ỷ ⱡ Ḱ ɬ ɬ

/ Resistance to Soldering Heat Test Conditions

□ ỷ χ ° ɬ ̀H ڑ χ °

/ Packaging SPEC.

ɔ ̀ γ ᴇ

Ṃ ᴇ ė Ã		